

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office..... JAN 11 1979
 Returned to applicant for correction.....
 Corrected application filed.....
 Map filed.....

The applicant Mr. & Mrs. Elmer J. Michsel - 7030 West Pebble Road and
Mr. & Mrs. Torrence C. Collins
7050 West Pebble Road, of Las Vegas,
Street and No. or P.O. Box No. City or Town
Nevada 89117, hereby make application for permission to appropriate the public
State and Zip Code No.
 waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is Las Vegas Valley Basin 212
Name of stream, lake or other source.
2. The amount of water applied for is 2000 Gallons Per Day - or - 0.003094 second-feet
One second-foot equals 448.83 gals. per min.
 (a) If stored in reservoir give number of acre-feet..... acre-feet
3. The water to be used for Quasi-Municipal - 2 Domestic Homes
Irrigation, power, mining, manufacturing, domestic, or other use.
4. If use is for: See No. 12
 (a) Irrigation (state number of acres to be irrigated).....
 (b) Stockwater (state number and kinds of animals to be watered).....
 (c) Other use (describe fully under "No. 12. Remarks").....
 (d) Power:
 (1) Horsepower developed.....
 (2) Point of return of water to stream.....
5. The water is to be diverted from its source at the following point: within the SE $\frac{1}{4}$ of the SW $\frac{1}{4}$
of the SE $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Section 15, T.22S., R.60E., MDM. - Specifi-
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,
cally - N. 78° 22' W., 771.60 feet from the Southeast Corner of Sec-
it should be stated. tion 15, T.22S., R.60E., MDM.
6. Place of use Same Legal Description as source, viz: within the SE $\frac{1}{4}$
Describe by legal subdivision, if on unsurveyed land it should be so stated.
of the SW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Section 15, T.22S., R.60E., MDM.
7. Use will begin about Jan 1 and end about Dec 31, of each year.
Day and Month Day and Month
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) 525 foot deep well, 10" casing 2 $\frac{1}{2}$ "
pipe, submersible pump, 3 horsepower motor, pressure water tank 500
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.
gallons (4 feet diameter, 5 feet high). Thence 65' of 3/4" copper
pipe to Michsel Residence - and - 85' of 3/4" PVC pipe to Collins
Residence.

9. Estimated cost of works.....\$10,000.00
10. Estimated time required to construct works.....Already constructed.
11. Estimated time required to complete the application to beneficial use.....Already in use.
12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.
- Quasi-Municipal - 2 Domestic Homes on one well.
- s/ Elmer J. Bichsel
- Applicant - Mr. Elmer J. Bichsel - 7030 W. Pebble Road, Las Vegas 89117
- s/ Mrs. Elmer J. Bichsel 89117
- Applicant - Mrs. Elmer J. Bichsel - 7030 W. Pebble Road, Las Vegas
- s/ Torrence C. Collins 89117
- Applicant - Mr. Torrence C. Collins - 7050 W. Pebble Road, Las Vegas
- s/ Mrs. Torrence C. Collins 361-1295 89117
- Applicant - Mrs. Torrence C. Collins - 7050 W. Pebble Road, Las Vegas

By s/ Norton K. Earle 12-28-78

Compared.....lp/pk.....ja/dp.....Norton K. Earle
State Water Right Surveyor No. 373
4528 West Charleston Boulevard
Las Vegas, Nevada 89102

APPROVAL.....OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed in the discharge pipeline, near the point of diversion, and accurate measurements must be kept of water placed to beneficial use. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed.....0.003094.....cubic feet per second, but not to exceed 0.73 million gallons annually.

Actual construction work shall begin on or before.....March 27, 1980

Proof of commencement of work shall be filed before.....April 27, 1980

Work must be prosecuted with reasonable diligence and be completed on or before.....March 27, 1981

Proof of completion of work shall be filed before.....April 27, 1981

Application of water to beneficial use shall be made on or before.....March 27, 1982

Proof of the application of water to beneficial use shall be filed on or before.....April 27, 1982

Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed.....IN TESTIMONY WHEREOF, I.....WILLIAM J. NEWMAN

Completion of work filed.....State Engineer of Nevada, have hereunto set my hand and the seal of

Proof of beneficial use filed.....my office, this.....27th.....day of.....SEPTEMBER.....

Cultural map filed.....

Certificate No.....Issued.....A.D. 19 79

Recorded.....Bk.....Page.....

County Recorder.....JUN 3 1980.....BECAUSE OF FAILURE.....State Engineer